	The second secon	Section of the Party of the Par
10		
100	400	2000
	200	The Party

· ·		1070 Bach PU1/P10 2 7 A00
FORMPTO-1390 U.S. DEPAR	TMENT OF COMMERCE PATENT AND TRADEMARK	ATTORNEY'S DOCKET NUMBER
(REV. 10 95)		T400
TRANSMITTAL LETTER	TO THE UNITED STATES	7489
DESIGNATED/ELECT	ED OFFICE (DO/EO/US)	U.S. APPLICATION NO. ((Cheeven to CFR 1.5)
CONCERNING A FILI	NG UNDER 35 U.S.C. 371	077.2
INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/US00/08031	24 March 2000	25 March 1999
TITLE OF INVENTION		No. 1 de la company
Laundry Detergemt Compositions V	Vith Certain Cationically Charged D	ye Maintenance Polymers
APPLICANT(S) FOR DO/EO/US		

PANANDIKER, Rajan Keshav et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information.

- 1. [x] This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
- 2. [] This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.
- This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than
 delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT
 Articles 22 and 39(f).
- 4. [x] A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
- 5. [x] A copy of the International Application was filed (35 U.S.C. 371(c)(2))
 - a. [] is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. [] has been transmitted by the International Bureau.
 - c. [x] is not required, as the application was filed in the United States Receiving Office (RO/US).
- 6. [] A translation of the International Application into English (35 U.S.C. 371(c)(2)).
- 7. [x] Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. [] are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. [] have been transmitted by the International Bureau.
 - c. [] have not been made; however, the time limit for making such amendments has NOT expired.
 - d. [x] have not been made and will not be made.
- 8. [] A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- 9. [x] An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
- A translation of the annexes to the International Preliminary Examination Report under PCT Article 36
 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern document(s) or information included:

- 11. [] An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- 13. [x] A FIRST preliminary amendment.
- [] A SECOND or SUBSEQUENT preliminary amendment.
- 14. [] A substitute specification.
- 15. [x] A change of power of attorney and/or address letter.
- 16. [] Other items or information:

 F1 1102620875715

I hareby certify that this paper/for is being deposited with the United States Postal Service "Bape see Mail Post Office to Addressee" service under 37 CFR 110 on the date indicated show and is addressed to The Assistant

09/9	14524	PCT/US00/08031	7489			
				C	ALCULATIONS	PTO USE ONLY
*						
EN	TER APPROPRI	ATE BASIC FEE	AMOUNT =	\$710)	
Surcharge of \$130.00				\$0		
[] 20 [] 30 1 (37 CFR 1.492(e)).	nonths from the earl	iest claimed priority	date			
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE			
Total Claims	11-20 =	0	x \$18.00	\$0		
Independent Claims	3 -3 =	0	x \$80.00	\$0		
MULTIPLE DEPENDI	ENT CLAIM(S) (if appl	licable)	\$270.00	\$0		
	TOTAL O	F ABOVE CALCU	JLATIONS =	\$710)	
Processing fee of \$13 [] 20 [] 30 1 (37 CFR 1.492(f)).	0.00 for furnishing the carl			\$0		
		TOTAL NATIO	NAL FEE =	\$710)	
Fee for recording the	enclosed assignmen	t (37 CFR 1.21(h)).	The	\$0		
assignment must be		ppropriate cover she	eet (37 CFR			
3.28,3.31). \$40.00 per property + TOTAL FEES ENCLOSED =				\$710	1	
			Amo	int to be	s	
				charged s		s
 a. [] A check in the amount of S to cover the above fees is enclosed. b. [x] Please charge my Deposit Account No. 16-2480_ in the amount of S 710_ to cover the above fees. A duplicate copy of this sheet is enclosed. c. [x] The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 16-2480 A duplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status. 						
SEND ALL CORR					\wedge	
	ller, Patent Agen Number 27748	t	Signatu	Signature Signature		
T. David Reed						

Name 32,931 Registration Number

Case 7489

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Matter of:

U.S. National Phase Entry

Under 35 USC § 371 from

the International Application of

PANANDIKER, Rajan Keshav et al

Int'l Application No. PCT/US00/08031 :

Filed in the RO/US on 24 March 2000 :

Entitled: LAUNDRY DETERGENT COMPOSITIONS WITH

CERTAIN CATIONICALLY CHARGED DYE

MAINTENANCE POLYMERS

PRELIMINARY AMENDMENT UNDER 37 CFR § 1.112

Assistant Commissioner for Patents

Washington, D.C. 20231

Dear Sir:

Prior to Examination and computation of the fees for entering the captioned International Application into the U.S. National Phase, please preliminarily amend the aboveidentified application as follows and consider the following Remarks.

AMENDMENTS

IN THE CLAIMS

Please amend Claims as follows:

- 3. A composition according to Claim 2 wherein said adjunct ingredients are selected from the group consisting of electrolytes, stabilizers, low molecular weight water soluble solvents, chelating agents, dispersibility aids, soil release agents, nonionic fabric softening agents, concentration aid, perfume, preservatives, colorants, optical brighteners, opacifiers, germicides, fungicides, anti-corrosion agents, antifoam agents, and mixtures thereof.
- A composition according to Claim 4 comprising from 0.1% to 8% by weight of said dye maintenance polymer.

6. A composition according to Claim 5 wherein said dye maintenance polymer is a co-polymer comprising a linearly polymerizing monomers and a cyclically polymerizing monomer, said cyclically polymerizing monomer having the formula:

wherein R5 is C1-C4 alkyl, and mixtures thereof; X is a water soluble anion.

- 7. A composition according to Claim 5 wherein the dye maintenance polymer is selected from the group consisting of homopolymers, co-polymers, ter-polymers and mixtures thereof, of diallyl dimethylammonium chloride, bromide or methyl sulfate and a co-monomer selected from the group consisting of acrylic acid, methacrylic acid, C₁-C₆ alkylmethacrylate, C₁-C₆ alkylacrylate, C₁-C₈ hydroxyalkylacrylate, C₁-C₈ hydroxyalkylmethacrylate, acrylamide, C₁-C₁₆ alkyl acrylamide, C₁-C₁₆ dialkylacrylamide, 2-acrylamido-2-methylpropane sulfonic acid or its alkali salt, methacrylamide, C₁-C₁₆ alkylmethacrylamide, C₁-C₁₆ dialkylmethacrylamide, vinyl formamide, vinylacetamide, vinyl alcohol, C₁-C₈ vinylalkylether, vinyl pyridine, itaconic acid, vinyl acetate, vinyl propionate, vinyl butyrate and mixtures thereof.
- A composition according to Claim 5 wherein said dye maintenance polymer a co-polymer comprising a linearly polymerizing monomers and a cyclically polymerizing monomer, said cyclically polymerizing monomer having the formula:

wherein R5 is C1-C4 alkyl, and mixtures thereof; X is a water soluble anion.

A composition according to Claim 5 comprising a co-polymer wherein Z has the formula:
 -(CH₂)_mCOR
 wherein each R is independently -O(CH₂)_nN(R³)₂; -O(CH₂)_nN^{*}(R³)₃X ; -(CH₂)_nN(R³)₂; -

wherein each K is independently ${}^{-}O(\mathrm{CH}_2)_n N(\mathrm{K}^*)_2$; ${}^{-}O(\mathrm{CH}_2)_n N^*(\mathrm{K}^*)_3 X^*$; ${}^{-}(\mathrm{CH}_2)_n N(\mathrm{K}^*)_2$; $(\mathrm{CH}_2)_n N^*(\mathrm{R}^3)_3 X^*$; and mixtures thereof, m is 0, n is from 2 to 4.

REMARKS

Claims 1, 2, 4, 10 and 11 remain in this application. Claims 3, 5, 6, 7, 8 and 9 have been amended by eliminating multiple dependent claims. Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version With Markings to Show Changes Made".

The support for these amendments is found in the claims as originally filed. These amendments are being entered to bring the claims into conformance with, *inter alia*, 37 CFR §1.75; no new matter is added.

Respectfully submitted,

T. David Reed

Agent for Applicants Registration No. 32,931

23 August 2001 5299 Spring Grove Avenue Cincinnati, Ohio 45217-1087 Phone: (513) 627-7025 FAX: (513) 627-6333

09/914524 518 Recd PCTT 29 AUG 2001

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the claims:

What is claimed is:

- A detergent compositions comprising:
 - a) from 4% to 70% by weight, of a surfactant;
 - from 0.01% to 5% by weight, of a dye maintenance polymer or oligomer, said polymer or copolymer comprising one or more units having the formula:
 - I) linear polymer units having the formula:

wherein each R1 is independently

- a) hydrogen;
- b) C₁-C₄ alkyl;
- c) substituted or unsubstituted phenyl;
- d) substituted or unsubstituted benzyl;
- e) carbocyclic;
- f) heterocyclic;
- g) and mixtures thereof;

each R2 is independently

- a) hydrogen;
- b) halogen
- c) C₁-C₄ alkyl;
- d) C₁-C₄ alkoxy;
- e) substituted or unsubstituted phenyl;
- f) substituted or unsubstituted benzyl;
- g) carbocyclic;
- h) heterocyclic;
- and mixtures thereof;

each Z is independently

- a) hydrogen;
- b) hydroxyl;
- c) halogen;

- d) -(CH₂)_mR;
 - wherein R is:
 - hydrogen;
 - ii) hydroxyl
 - iii) halogen;
 - iv) nitrilo;
 - v) -OR3;
 - vi) -O(CH₂)_nN(R³)₂;
 - vii) $-O(CH_2)_nN^+(R^3)_3X^-;$
 - viii) -OCO(CH₂)_nN(R³)₂;
 - ix) -OCO(CH₂)_nN⁺(R³)₃X;
 - x) -NHCO(CH₂)_nN(R³)₂;
 - xi) -NHCO(CH₂), N⁺(R³), X⁻;
 - xii) -(CH₂)_nN(R³)₂;
 - xiii) $-(CH_2)_n N^+(R^3)_3 X^-;$
 - xiv) carbocyclic;
 - xv) heterocyclic;
 - xvi) nitrogen heterocycle quaternary ammonium;
 - xvii) nitrogen heterocycle N-oxide;
 - xviii) aromatic N-heterocyclic quaternary ammonium;
 - xix) aromatic N-heterocyclic N-oxide;
 - xx) -NHCHO;
 - xxi) or mixtures thereof;

each R^3 is independently hydrogen, C_1 - C_8 alkyl, C_2 - C_8 hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6

e) -(CH₂)_mCOR'

wherein R' is

- i) -OR³;
- ii) -O(CH₂)_nN(R³)₂;
- iii) -O(CH₂)_nN⁺(R³)₃X⁻;
- iv) -NR³(CH₂)_nN(R³)₂;
- v) -NR³(CH₂)₀N⁺(R³)₃X⁻;
- vi) -(CH₂)_nN(R³)₂;
- vii) -(CH₂)_nN⁺(R³)₃X ';

viii) or mixtures thereof; each R³ is independently hydrogen, C₁-C₈ alkyl, C₂-C₈ hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6;

f) and mixtures thereof;

the index m is from 0 to 6;

 cyclic units derived from cyclically polymerizing monomers having the formula:

wherein each R^4 is independently an olefin comprising unit which is capable of propagating polymerization in addition to forming a cyclic residue with an adjacent R^4 unit; R^5 is C_1 - C_{12} linear or branched alkyl, benzyl, substituted benzyl, and mixtures thereof; Xis a water soluble anion; and

III) mixtures thereof:

provided said polymer or co-polymer has a net cationic charge; and wherein said dye maintenance polymer is not an polyethyleneimine or alkoxylated derivative thereof; and

- b) the balance carriers and other adjunct ingredients.
- A detergent composition according to Claim 1, wherein said dye maintenance polymer is a copolymer comprising:
 - a first monomer selected from the group consisting of N, N dialkylaminoalkyl(meth)acrylate, N, N dialkylaminoalkylacrylate, N,N dialkylaminoalkylacrylamide, N,N dialkylaminoalkyl(meth)acrylamide, their quaternized derivatives and mixtures thereof; and
 - ii) a second monomer selected from the group consisting of acrylic acid, methacrylic acid, C₁-C₆ alkylmethacrylate, C₁-C₆ alkyl acrylate, C₁-C₈ hydroxyalkylacrylate, C₁-C₁ hydroxyalkylmethacrylate, acrylamide, C₁-C₁₆ alkyl acrylamide, C₁-C₁₆ dialkylacrylamide, 2-acrylamido-2-methylpropane sulfonic acid or its alkali salt, methacrylamide, C₁-C₁₆ alkylmethacrylamide, C₁-C₁₆ dialkylmethacrylamide, vinyl formamide, vinylacetamide, vinyl alcohol, C₁-C₈ vinylalkylether, vinyl pyridine.

itaconic acid, vinyl acetate, vinyl propionate, vinyl butyrate and mixtures thereof:

wherein the copolymer comprises at least 25 mole % of the first monomer.

- 3. A composition according to either Claim 1 or 2 wherein said adjunct ingredients are selected from the group consisting of electrolytes, stabilizers, low molecular weight water soluble solvents, chelating agents, dispersibility aids, soil release agents, nonionic fabric softening agents, concentration aid, perfume, preservatives, colorants, optical brighteners, opacifiers, germicides, fungicides, anti-corrosion agents, antifoam agents, and mixtures thereof.
- A detergent composition comprising:
 - a) from 4% to 70% of a surfactant;
 - b) from 0.01% to 10% by weight, of a dye maintenance polymer or oligomer, said dye maintenance polymer is selected from the group consisting of homopolymers, co-polymers, ter-polymers and mixtures thereof having the formula:

wherein each R^1 , R^2 is hydrogen or methyl; Z has the formula:

wherein m is equal to 0 or 1; R is

$$-N(R^3)_2$$
 or $-N^+(R^3)_3X^-$

 R^3 is selected from the group consisting of hydrogen, $C_1\hbox{-} C_4$ alkyl, $C_2\hbox{-} C_4$ hydroxyalkyl, and mixtures thereof; X is a water soluble anion; and

the balance carriers and adjunct ingredients.

- 5. A composition according to any of Claims 1-4 comprising from 0.1% to 8% by weight of said dye maintenance polymer.
- 6. A composition according to any of Claims 1-2 wherein said dye maintenance polymer is a co-polymer comprising a linearly polymerizing monomers and a

cyclically polymerizing monomer, said cyclically polymerizing monomer having the formula:

wherein R5 is C1-C4 alkyl, and mixtures thereof; X is a water soluble anion.

A composition according to any of Claims 1-5 wherein the dye maintenance 7. polymer is selected from the group consisting of homopolymers, co-polymers, terpolymers and mixtures thereof, of diallyl dimethylammonium chloride, bromide or methyl sulfate and a co-monomer selected from the group consisting of acrylic acid. methacrylic acid, C1-C6 alkylmethacrylate, C1-C6 alkyl acrylate, C1-C8 hydroxyalkylacrylate, C1-C8 hydroxyalkylmethacrylate, acrylamide, C1-C16 alkyl acrylamide, C1-C16 dialkylacrylamide, 2-acrylamido-2-methylpropane sulfonic acid or its alkali salt, methacrylamide, C1-C16 alkylmethacrylamide, C1-C16 dialkylmethacrylamide, vinyl formamide, vinylacetamide, vinyl alcohol, C1-C8 vinylalkylether, vinyl pyridine, itaconic acid, vinyl acetate, vinyl propionate, vinyl butyrate and mixtures thereof.

Clauri 5
A composition according to any of Claims 1-5 wherein said dye maintenance 8. polymer a co-polymer comprising a linearly polymerizing monomers and a cyclically polymerizing monomer, said cyclically polymerizing monomer having the formula:

$$R^{1}$$
 $C=C$ R^{2} $N+X$ CH_{3}

wherein R5 is C1-C4 alkyl, and mixtures thereof; X is a water soluble anion.

A composition according to any of Claims 1-5 comprising a co-polymer wherein Z 9. has the formula:

wherein each R is independently -O(CH₂)_nN(R³)₂; -O(CH₂)_nN⁺(R³)₃X⁻; -(CH₂)₀N(R³)₂; -(CH₂)_nN⁺(R³)₃X⁻; and mixtures thereof, m is 0, n is from 2 to 4.

- 10. A composition according to Claim 1 wherein said dye maintenance polymer comprises copolymer of N-methyl vinyl pyridine and vinyl pyridine in a ratio of 4:1, a copolymer of N-methyl vinyl pyridine and vinyl pyridine in a ratio of 4:6, a co-polymer of poly(N-methyl vinyl pyridine) and vinyl pyridine N-oxide in a ratio of polymer to monomer of 4:1, a polymer comprising poly(N-methyl vinyl pyridine) and vinyl pyridine N-oxide in a ratio of polymer to monomer of 4:6, and mixtures thereof.
- 11. A method for reducing the loss of fabric dye comprising the step of contacting dyed fabric with a laundry detergent comprising:
 - a) from 4% to 70% by weight, of a surfactant;
 - from 0.01% to 5% by weight, of a dye maintenance polymer or oligomer, said polymer or copolymer comprising one or more units having the formula:
 - linear polymer units having the formula:

wherein each R1 is independently

- a) hydrogen;
- b) C₁-C₄ alkyl;
- substituted or unsubstituted phenyl;
- d) substituted or unsubstituted benzyl;
- e) carbocyclic;
- f) heterocyclic;
- g) and mixtures thereof;

each R2 is independently

- a) hydrogen;
- b) halogen
- c) C₁-C₄ alkyl;
- d) C₁-C₄ alkoxy;
- e) substituted or unsubstituted phenyl;

- f) substituted or unsubstituted benzyl;
- g) carbocyclic;
- h) heterocyclic;
- and mixtures thereof; i)

each Z is independently

- a) hydrogen;
- b) hydroxyl;
- halogen; c)
- d) -(CH₂)_mR;

wherein R is:

- hydrogen;
- hydroxyl · ii)
- iii) halogen;
- iv) nitrilo:
- -OR3:
- v)
- -O(CH₂)_nN(R³)₂; vi)
- vii) -O(CH₂)₀N⁺(R³)₃X⁻;
- viii) -OCO(CH₂), N(R³)₂;
- ix) -OCO(CH₂)_nN⁺(R³)₃X⁻;
- x) -NHCO(CH₂), N(R³)₂;
- xi) -NHCO(CH₁), N⁺(R³)₁X ;
- xii) -(CH₂),N(R³)₂;
- xiii) -(CH₂)_nN⁺(R³)₃X ·;
- carbocyclic; xiv)
- xv) heterocyclic;
- nitrogen heterocycle quaternary ammonium; xvi)
- nitrogen heterocycle N-oxide; xvii)
- xviii) aromatic N-heterocyclic quaternary ammonium;
- xix) aromatic N-heterocyclic N-oxide;
- xx) -NHCHO;
- xxi) or mixtures thereof;

each R3 is independently hydrogen, C1-C0 alkyl, C2-C0 hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6

-(CH2)...COR' e)

wherein R' is

- i) -OR³;
- ii) -O(CH₂)_nN(R³)₂;
- iii) -O(CH₂)_nN⁺(R³)₃X ;
- iv) -NR3(CH2),N(R3)2;
- v) -NR3(CH₂)_nN*(R3)₃X;
- vi) -(CH₂)_nN(R³)₂;
- vii) -(CH₂)_nN⁺(R³)₃X ;
- viii) or mixtures thereof:

each R^3 is independently hydrogen, C_1 - C_8 alkyl, C_2 - C_8 hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6;

f) and mixtures thereof;

the index m is from 0 to 6;

 cyclic units derived from cyclically polymerizing monomers having the formula:

$$R^{4} - N^{+} R^{5}$$

wherein each R^4 is independently an olefin comprising unit which is capable of propagating polymerization in addition to forming a cyclic residue with an adjacent R^4 unit; R^5 is C_1 - C_{12} linear or branched alkyl, benzyl, substituted benzyl, and mixtures thereof; X is a water soluble anion; and

mixtures thereof;

provided said polymer or co-polymer has a net cationic charge; and wherein said dye maintenance polymer is not an polyethyleneimine or alkoxylated derivative thereof; and

b) the balance carriers and other adjunct ingredients.

LAUNDRY DETERGENT COMPOSITIONS WITH CERTAIN CATIONICALLY CHARGED DYE MAINTENANCE POLYMERS

FIELD OF THE INVENTION

The present invention relates to compositions, in either liquid or granular form, for use in laundry applications, wherein the compositions comprise certain dye maintenance polymers that have a net positive charge. Compositions comprising the dye maintenance polymers of this invention impart appearance and integrity benefits to fabrics and textiles laundered in washing solutions formed from such compositions.

BACKGROUND OF THE INVENTION

It is, of course, well known that alternating cycles of using and laundering fabrics and textiles, such as articles of worn clothing and apparel, will inevitably adversely affect the appearance and integrity of the fabric and textile items so used and laundered. Fabrics and textiles simply wear out over time and with use. Laundering of fabrics and textiles is necessary to remove soils and stains which accumulate therein and thereon during ordinary use. However, the laundering operation itself, over many cycles, can accentuate and contribute to the deterioration of the integrity and the appearance of such fabrics and textiles.

Deterioration of fabric integrity and appearance can manifest itself in several ways. Short fibers are dislodged from woven and knit fabric/textile structures by the mechanical action of laundering. These dislodged fibers may form lint, fuzz or "pills" which are visible on the surface of fabrics and diminish the appearance of newness of the fabric. Further, repeated laundering of fabrics and textiles, especially with bleach-containing laundry products, can remove dye from fabrics and textiles and impart a faded, worn out appearance as a result of diminished color intensity, and in many cases, as a result of changes in hues or shades of color.

Given the foregoing, there is clearly an ongoing need to identify materials which could be added to laundry products that would associate themselves with the fibers of the fabrics and textiles laundered using such products and thereby reduce or minimize the tendency of the laundered fabric/textiles to deteriorate in appearance. Any such detergent product additive

material should, of course, be able to benefit fabric appearance and integrity without unduly interfering with the ability of the laundry product to perform its intended function. The present invention is directed to the use of dye maintenance polymers in laundry applications that perform in this desired manner.

SUMMARY OF THE INVENTION

The present invention meets the aforementioned need in that it has been surprisingly discovered that fabric which is treated, and subsequently re-treated with the compositions of the present invention, will resist normal fading and color loss without regard to the circumstances, inter alia, due to mechanical wear and abrasion. In addition, fabric which has not been treated can have the loss of fabric dye attenuated by washing clothing with the laundry detergent compositions of the present invention. The compositions of the present invention can take any form, inter alia, heavy duty liquid (HDL), heavy duty granular (HDG), bars, pastes, thixotropic compositions.

The first aspect of the present invention relates to laundry detergent compositions providing dye protection benefits to fabric comprising:

- from about 4% to about 70% by weight, of a surfactant selected from the group consisting of nonionic, anionic, cationic, amphoteric, zwitterionic surfactants and mixtures thereof, preferably at least one of said surfactants is an anionic surfactant;
- b) from about 0.01%, preferably from about 0.1%, more preferably from about 0.5%, most preferably from about 0.8% to about 10%, preferably to about 8%, more preferably to about 6%, most preferably to about 5% by weight, of a dye maintenance polymer or oligomer, said polymer or copolymer comprising one or more units having the formula:
- I) linear polymer units having the formula:

wherein each R1 is independently

- a) hydrogen;
- b) C₁-C₄ alkyl:

- c) substituted or unsubstituted phenyl;
- d) substituted or unsubstituted benzyl;
- e) carbocyclic;
- f) heterocyclic;
- g) and mixtures thereof;

each R2 is independently

- a) hydrogen;
- b) halogen
- c) C₁-C₄ alkyl;
- d) C₁-C₄ alkoxy;
- e) substituted or unsubstituted phenyl;
- substituted or unsubstituted benzyl;
- g) carbocyclic;
- h) heterocyclic:
- and mixtures thereof;

each Z is independently

- a) hydrogen;
- b) hvdroxvl;
- c) halogen;
- d) -(CH₂)_mR;

wherein R is:

- hydrogen;
- ii) hydroxyl
- iii) halogen;
- iv) nitrilo;
- v) -OR³;
- vi) -O(CH₂)_nN(R³)₂;
- vii) -O(CH₂)_nN⁺(R³)₃X⁻;
- viii) -OCO(CH₂)_nN(R³)₂;
- ix) -OCO(CH₂), N⁺(R³)₃X⁻;
- x) -NHCO(CH₂)_nN(R³)₂;
- xi) -NHCO(CH₂)_nN⁺(R³)₃X⁻;
- xii) $-(CH_2)_nN(R^3)_2$;

xiii) $-(CH_2)_n N^+(R^3)_3 X^-;$

xiv) carbocyclic;

xv) heterocyclic;

xvi) nitrogen heterocycle quaternary ammonium;

xvii) nitrogen heterocycle N-oxide;

xviii) aromatic N-heterocyclic quaternary ammonium;

xix) aromatic N-heterocyclic N-oxide;

xx) -NHCHO;

or mixtures thereof;

each R3 is independently hydrogen, C1-C8 alkyl, C2-C8

hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6

e) -(CH₂)_mCOR'

wherein R' is

i) -OR3;

ii) -O(CH₂)_nN(R³)₂;

iii) -O(CH₂), N⁺(R³)₃X⁻;

iv) -NR3(CH2),N(R3)2;

v) -NR³(CH₂)₂N⁺(R³)₂X⁻;

vi) -(CH₂),N(R³)₂;

vii) -(CH₂)_nN⁺(R³)₃X⁻;

viii) or mixtures thereof;

each R3 is independently hydrogen, C1-C8 alkyl, C2-C8

hydroxyalkyl, and mixtures thereof; X is a water soluble anion;

the index n is from 0 to 6;

f) and mixtures thereof;

the index m is from 0 to 6;

 cyclic units derived from cyclically polymerizing monomers having the formula:

wherein each \mathbb{R}^4 is independently an olefin comprising unit which is capable of propagating polymerization in addition to forming a cyclic residue with an adjacent \mathbb{R}^4 unit; \mathbb{R}^5 is \mathbb{C}_1 - \mathbb{C}_{12} linear or branched alkyl, benzyl, substituted benzyl, and mixtures thereof; X is a water soluble anion; and

III) mixtures thereof;

provided said polymer or co-polymer has a net cationic charge; and wherein said dye maintenance polymer is not an polyethyleneimine or alkoxylated derivative thereof; and

b) the balance carriers and other adjunct ingredients.

In addition to the surfactant and the dye maintenance polymer of this invention, the laundry detergent compositions herein comprise from about 0.01% to 80% by weight of an organic or inorganic detergency builder and other conventional laundry detergent products. In its method aspect, the present invention relates to the laundering or treating of fabrics and textiles in aqueous washing, rinsing, or treating solutions formed from effective amounts of any of the detergent compositions, fabric softener compositions, or aqueous solution treatments described herein, or formed from the individual components of such compositions. Laundering of fabrics and textiles in such washing, rinsing and/or treatment solutions, followed by drying, imparts fabric appearance benefits to the fabric and textile articles so treated. Such benefits can include improved overall appearance, pill/fuzz reduction, anti-fading, improved abrasion resistance, and/or enhanced softness. It has been surprisingly determined that the dye maintenance polymers of this invention impart fabric appearance and integrity benefits that are greater than the benefits achieved by a corresponding amount of either component by itself.

These and other objects, features and advantages will become apparent to those of ordinary skill in the art from a reading of the following detailed description and the appended claims. All percentages, ratios and proportions herein are by weight, unless otherwise specified. All temperatures are in degrees Celsius (O C) unless otherwise specified. All documents cited are in relevant part, incorporated herein by reference.

DETAILED DESCRIPTION OF THE INVENTION

As noted, when fabric or textiles are laundered in solutions which comprise the dye maintenance polymers of the present invention fabric appearance and integrity are enhanced. The dye maintenance polymers can be added to wash solutions by incorporating them into a detergent composition, a fabric softener or by adding them separately to the washing solution. The dye maintenance polymers are described herein primarily as liquid or granular detergent additives but

the present invention is not meant to be so limited. The dye maintenance polymers, detergent composition components, optional ingredients for such compositions and methods of using such compositions, are described in detail below. All percentages are by weight unless other specified.

Dye Maintenance Polymers

Compositions and systems of the present invention comprise from about 0.1%, preferably for about 1%, more preferably from about 2%, most preferably from about 3% to about 10%, preferably to about 7%, more preferably to about 5% by weight, of a polymer, co-polymer, or mixture thereof, wherein said polymer or co-polymer comprises at least one cationically charged unit, *inter alia*, quaternary ammonium moiety or unit which can form a cationic charge in situ, *inter alia*, primary amine moiety. Stated in another way, the oligomer, polymer, or co-polymer resulting from the herein below described monomer units must have a net cationic charge. The charge can be distributed among any of the herein described units.

The dye maintenance polymers of this invention can be used in any fabric laundering process and provide certain appearance benefits to the fabrics laundered in these processes. Such fabric appearance benefits can include, for example, improved overall appearance of the laundered fabrics, reduction of the formation of pills and fuzz, protection against color fading, improved abrasion resistance, etc. The dye maintenance polymers used in the compositions and methods herein can provide such fabric appearance benefits when incorporated in a wash or rinse added products.

As will be apparent to those skilled in the art, an oligomer is a molecule consisting of only a few monomer units while polymers comprise considerably more monomer units. For the present invention, oligomers are defined as molecules having an average molecular weight below about 1,000 and polymers are molecules having an average molecular weight of greater than about 1,000. Copolymers are polymers or oligomers wherein two or more dissimilar monomers have been simultaneously or sequentially polymerized. Copolymers of the present invention can include, for example, polymers or oligomers copolymerizing acrylamide with dimethyldiallylammonium chloride, vinyl amine with vinyl alcohol, etc

Cationic polymers in general and their method of manufacture are know. For example, a detailed description of cationic polymers can be found in an article by M. Fred Hoover that was published in the *Journal of Macromolecular Science-Chemistry*, A4(6), pp 1327-1417, October, 1970. The entire disclosure of the Hoover article is incorporated herein by reference. The dye maintenance polymers of this invention will be better understood when read in light of the Hoover article, the present disclosure and the Examples herein.

I) Linear Polymer Units

The polymers or co-polymers of the present invention can comprise one or more linear polymer units having the formula:

$$\begin{array}{c|cccc} R^1 & R^2 \\ \hline & C & C \\ \hline & R^1 & Z \end{array}$$

wherein R¹, R², and Z are defined herein below. Preferably, the linear polymer units are formed from linearly polymerizing monomers. Linearly polymerizing monomers are defined herein as monomers which under standard polymerizing conditions result in a linear polymer chain or alternatively which linearly propagate polymerization. The linearly polymerizing monomers of the present invention have the formula:

$$R^1$$
 $C=C$ R^2

however, those of skill in the art recognize that many useful linear monomer units are introduced indirectly, inter alia, vinyl amine units, vinyl alcohol units, and not by way of linearly polymerizing monomers. For example, vinyl acetate monomers once incorporated into the backbone are hydrolyzed to form vinyl alcohol units. For the purposes of the present invention, linear polymer units may be directly introduced, i.e. via linearly polymerizing units, or indirectly, i.e. via a precursor as in the case of vinyl alcohol cited herein above.

Each R^1 is independently hydrogen, $C_{1^-}C_4$ alkyl, substituted or unsubstituted phenyl, substituted or unsubstituted benzyl, carbocyclic, heterocyclic, and mixtures thereof. Preferably R^1 is hydrogen, $C_{1^-}C_4$ alkyl, phenyl, and mixtures thereof, more preferably hydrogen and methyl.

 $\label{eq:energy} Each \ R^2 \ is \ independently \ hydrogen, \ halogen, \ C_1\text{-}C_4 \ alkyl, \ C_1\text{-}C_4 \ alkyl, \ substituted \ or \ unsubstituted \ benzyl, \ carbocyclic, \ heterocyclic, \ and \ mixtures \ thereof.$ Preferred R^2 is hydrogen, C_1\text{-}C_4 \ alkyl, \ and \ mixtures thereof.}

Each Z is independently hydrogen; hydroxyl; halogen; $\cdot(CH_2)_mR$, wherein R is hydrogen, hydroxyl, halogen, nitrilo, $\cdot OR^3$, $\cdot O(CH_2)_nN(R^3)_2$, $\cdot O(CH_2)_nN^{\dagger}(R^3)_2$, $\cdot O(CH_2)_nN(R^3)_2$, $\cdot O(CH_2)_2$, $\cdot O(CH_$

$$OCO(CH_2)_nN^+(R^3)_3X^-, -NHCO(CH_2)_nN(R^3)_2, -NHCO(CH_2)_nN^+(R^3)_3X^-, -(CH_2)_nN(R^3)_2, -(CH_2)_2, -$$

(CH₂)_nN⁺(R³)₃X⁻, a non-aromatic nitrogen heterocycle comprising a quaternary ammonium ion, a non-aromatic nitrogen heterocycle comprising an N-oxide moiety, an aromatic nitrogen containing heterocyclic wherein one or more or the nitrogen atoms is quaternized; an aromatic nitrogen containing heterocycle wherein at least one nitrogen is an N-oxide; -NHCHO (formamide), or mixtures thereof; wherein each R³ is independently hydrogen, C₁-C₈ alkyl, C₂-C₃

hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6; carbocyclic, heterocyclic, or mixtures thereof; $-(CH_2)_mCOR^*$ wherein R^* is $-OR^3$, $-O(CH_2)_kN(R^3)_2$, $-O(CH_2)_kN^*(R^3)_2X^*$, $-NR^3(CH_2)_kN^*(R^3)_2X^*$, $-(CH_2)_kN(R^3)_2$, $-(CH_2)_kN^*(R^3)_2X^*$, or mixtures thereof, wherein R^3 , X, and n are the same as defined herein above. A preferred Z is $-O(CH_2)_kN^*(R^3)_3X^*$, wherein the index n is 2 to 4. The index m is from 0 to 6, preferably 0 to 2, more preferably 0.

Non-limiting examples of linearly polymerizing monomers comprising a heterocyclic Z unit includes 1-vinyl-2-pyrrolidinone, 1-vinylimidazole, 2-vinyl-1,3-dioxolane, 4-vinyl-1-cyclohexene1,2-epoxide, and 2-vinylpyridine.

The polymers and co-polymers of the present invention comprise Z units which have a cationic charge or which result in a unit which forms a cationic charge in situ. When the co-polymers of the present invention comprise more than one Z unit, for example, Z^1 , Z^2 ,... Z^n units, at least about 1% of the monomers which comprise the co-polymers will comprise a cationic unit. Preferred cationic units include $-O(CH_2)_n N^+(R^2)_5 X^-$ and $-(CH_2)_n N^+(R^3)_5 X^-$. When the co-polymers of the present invention are formed from two monomers, Z^1 and Z^2 , the ratio of Z^1 to Z^2 is preferably from about 9:1 to about 1:9.

A non-limiting example of a Z unit which can be made to form a cationic charge in situ is the -NHCHO unit, formamide. The formulator can prepare a polymer or co-polymer comprising formamide units some of which are subsequently hydrolyzed to form vinyl amine equivalents. For example the formulator may prepare a co-polymer having the general formula:

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ \end{array}$$

which comprises a formamide unit and then subsequently treat the co-polymer such that some of the formamide units are hydrolyzed to form a co-polymer comprising vinyl amine units, said polymer having the formula:

wherein Z may be a cationic unit comprising or non-cationic unit comprising moiety and x' + x'' = x.

Another class of preferred linearly polymerizable monomers comprise cationically charged heteroaromatic Z units having the formula:

an non-limiting example of which is 4-vinyl (N-alkyl)pyridine wherein R^1 and R^2 are each hydrogen and R^6 is methyl.

Another class of preferred linearly polymerizable monomers which comprises a heterocyclic ring includes Z units comprising an N-oxide, for example, the N-oxide having the formula:

a non-limiting example of which is 4-vinyl pyridine N-oxide.

N-alkyl vinylpyridine monomers and N-oxide vinylpyridine monomers can be suitably combined with other non aromatic monomers, *inter alia*, vinyl amine. However, preferred polymers of the present invention include co-polymers derived from a combination of quaternized, N-oxide, and nitrogen containing heteroaromatic monomers, non-limiting examples of which includes a copolymer of N-methyl vinyl pyridine and vinyl pyridine in a ratio of 4:1; a copolymer of N-methyl vinyl pyridine and vinyl pyridine in a ratio of 4:6; a co-polymer of poly(N-methyl vinyl pyridine) and vinyl pyridine N-oxide in a ratio of polymer to monomer of 4:1; poly(N-methyl vinyl pyridine) and vinyl pyridine N-oxide in a ratio of polymer to monomer of 4:6; and mixtures thereof.

A preferred linear co-polymer according to the present has the formula:

$$\begin{bmatrix} z^1 \end{bmatrix}_x \begin{bmatrix} z^2 \end{bmatrix}_y$$

wherein Z1 has the formula:

Z2 has the formula:

wherein X is chlorine; x has the value of from about 10 to about 100,000; y has the value of from about 10 to about 100,000; the ratio of x to y is from 9:1 to 1:9. Co-polymers of this type are available as, e.g., Sedipur® CF104 ex BASF.

As described herein above, some preferred polymer residues may be formed by treatment of the resulting polymer. For example, vinyl amine residues are preferably introduced via formamide monomers which are subsequently hydrolyzed to the free amino unit. Also vinyl alcohol units are obtained by hydrolysis of residues formed form vinyl acetate monomers. Likewise, acrylic acid residues may be esterified after polymerization, for example, units having the formula:

may be more conveniently formed after the backbone has been formed by polymerization with aerylic acid or aerylic acid precursor monomers.

II) Cyclic Units Derived from Cyclically Polymerizing Monomers

The polymers or co-polymers of the present invention can comprise one or more cyclic polymer units which are derived from cyclically polymerizing monomers. Cyclically polymerizing monomers are defined herein as monomers which under standard polymerizing conditions result in a cyclic polymer residue as well as serving to linearly propagate polymerization. Preferred cyclically polymerizing monomers of the present invention have the formula:

$$R^4 - N^{+} R^5$$

wherein each R^4 is independently an olefin comprising unit which is capable of propagating polymerization in addition to forming a cyclic residue with an adjacent R^4 unit; R^5 is C_1 - C_{12} linear or branched alkyl, benzyl, substituted benzyl, and mixtures thereof; X is a water soluble anion.

Non-limiting examples of R⁴ units include allyl and alkyl substituted allyl units. Preferably the resulting cyclic residue is a six-member ring comprising a quaternary nitrogen atom.

R5 is preferably C1-C4 alkyl, preferably methyl.

An example of a cyclically polymerizing monomer is dimethyl diallyl ammonium having the formula:

which results in a polymer or co-polymer having units with the formula:

wherein preferably the index z is from about 10 to about 50,000.

III) Mixtures thereof.

The polymers or co-polymers of the present invention must retain a net cationic charge, whether the charged is developed in situ, or whether the polymer or co-polymer itself has a formal positive charge. Preferably the polymer or co-polymer has at least 10%, more preferably at least about 25%, more preferably at least about 35%, most preferably at least about 50% of the residues comprise a cationic charge.

The polymers or co-polymers of the present invention can comprise mixtures of linearly and cyclically polymerizing monomers, for example the poly(dimethyldiallyl-ammonium chloride/acrylamide) co-polymer having the formula:

$$\begin{array}{c|c} & & & \\ \hline & & & \\ Z^1 \\ \hline & & & \\ Z^2 \\ \hline & & \\ & &$$

wherein Z1, Z2, x, y, and z are the same as defined herein above and X is chloride ion.

A particularly preferred embodiment of this invention is the composition comprising a polymer based on dimethyldiallylammonium chloride and a copolymer which is based upon acrylamide with a co-monomer selected from the group consisting of N, N dialkylaminoalkyl(meth)acrylate, N, N dialkylaminoalkylacrylate, N,N dialkylaminoalkylacrylamide, N,N dialkylaminoalkylacrylamide, N,N dialkylaminoalkylacrylamide, their quaternized derivatives and mixtures thereof.

Non-limiting examples of preferred polymers according to the present invention include dve maintenance copolymers comprising:

- a first monomer selected from the group consisting of N, N dialkylaminoalkyl(meth)acrylate, N, N dialkylaminoalkylacrylate, N,N dialkylaminoalkylacrylamide, N,N dialkylaminoalkyl(meth)acrylamide, their quaternized derivatives and mixtures thereof; and
- ii) a second monomer selected from the group consisting of acrylic acid, methacrylic acid, C₁-C₆ alkylmethacrylate, C₁-C₆ alkyl acrylate, C₁-C₆ hydroxyalkylmethacrylate, acrylamide, C₁-C₁₆ alkyl acrylamide, C₁-C₁₆ dialkylacrylamide, C₂-C₁₆ dialkylacrylamide, C₂-c₁₆ dialkylacrylamide, C₃-C₁₆ alkylmethacrylamide, C₁-C₁₆ dialkylmethacrylamide, vinyl formamide, vinylacetamide, vinyl alcohol, C₁-C₁₆ dialkylmethacrylamide, vinyl pyridine, itaconic acid, vinyl acetate, vinyl propionate, vinyl butyrate and mixtures thereof;

wherein the copolymer comprises at least 25 mole % of the first monomer.

ADJUNCT INGREDIENTS

The compositions of the present invention may also optionally comprise one or more adjunct ingredients. Non-limiting examples of adjunct ingredients are selected from the group consisting of detersive surfactants, electrolytes, stabilizers, low molecular weight water soluble solvents, chelating agents, dispersibility aids, soil release agents, nonionic fabric softening agents,

concentration aid, perfume, preservatives, colorants, optical brighteners, opacifiers, germicides, fungicides, anti-corrosion agents, antifoam agents, and mixtures thereof.

The following are applications which describe various detergent additive, methods of making these additives and methods of using them are all included herein by reference. WO 99/07813 A1 Randall et al., "Laundry Detergent Compositions with Amino Acid Based Polymers to Provide Appearance and Integrity Benefits to Fabrics Laundered Therewith"; WO 99/07814 A1 Randall et al., "Laundry Detergent Compositions with Amino Acid Based Polymers to Provide Appearance and Integrity Benefits to Fabrics Laundered Therewith"; WO 99/14299 A1 Panandiker et al., "Laundry Detergent Compositions with Anionically Modified, Cyclic Amine Based Polymers; WO 99/14300 A1 Panandiker et al., "Laundry Detergent Compositions with Cyclic Amine-Based Polymers to Provide Appearance and Integrity Benefits to Fabrics Laundered Therewith"; WO 99/14301 A1 Panandiker et al., "Laundry Detergent Compositions and Fabric Conditioning Compositions with Oxidized Cyclic Amine-Based Polymers"; and US 99/23146 Panandiker et al., "Laundry Detergent Compositions with A Combination of Cyclic Amine Based Polymers and Hydrophobically Modified Carboxy Methyl Cellulose".

SURFACTANT SYSTEM

The laundry detergent compositions of the present invention comprise a surfactant system. The surfactant systems of the present invention may comprise any type of detersive surfactant, non-limiting examples of which include one or more mid-chain branched alkyl sulfate surfactants, one or more mid-chain branched alkyl alkoxy sulfate surfactants, one or more mid-chain branched aryl sulfonate surfactants, one or more non mid-chain branched sulphonates, sulphates, cationic surfactants, zwitterionic surfactants, ampholytic surfactants, and mixtures thereof.

The total amount of surfactant present in the compositions of the present invention is from about 4% by weight, preferably from about 10% more preferably from about 15% to about 60%, preferably to about 30% by weight, of said composition.

Nonlimiting examples of surfactants useful herein include:

- a) C₁₁-C₁₈ alkyl benzene sulfonates (LAS);
- b) C₆-C₁₈ mid-chain branched aryl sulfonates (BLAS);
- C₁₀-C₂₀ primary, α or ω-branched, and random alkyl sulfates (AS);
- d) C₁₆-C₂₀ mid-chain branched alkyl sulfates (BAS);
- c) C₁₀-C₁₈ secondary (2,3) alkyl sulfates as described in U.S. 3,234,258 Morris, issued February 8, 1966; U.S. 5,075,041 Lutz, issued December 24, 1991; U.S. 5,349,101 Lutz

et al., issued September 20, 1994; and U.S. 5,389,277 Prieto, issued February 14, 1995 each incorporated herein by reference;

- f) C₁₀-C₁₈ alkyl alkoxy sulfates (AE₂S) wherein preferably x is from 1-7;
- g) C₁₄-C₂₀ mid-chain branched alkyl alkoxy sulfates (BAE_xS);
- h) C₁₀-C₁₈ alkyl alkoxy carboxylates preferably comprising 1-5 ethoxy units;
- i) C₁₂-C₁₈ alkyl ethoxylates, C₆-C₁₂ alkyl phenol alkoxylates wherein the alkoxylate units are a mixture of ethyleneoxy and propyleneoxy units, C₁₂-C₁₈ alcohol and C₆-C₁₂ alkyl phenol condensates with ethylene oxide/propylene oxide block polymers inter alia Pluronic* ex BASF which are disclosed in U.S. 3,929,678 Laughlin et al., issued December 30, 1975, incorporated herein by reference;
- j) C₁₄-C₂₂ mid-chain branched alkyl alkoxylates, BAE_x;
 - Alkylpolysaccharides as disclosed in U.S. 4,565,647 Llenado, issued January 26, 1986, incorporated herein by reference;
- 1) Polyhydroxy fatty acid amides having the formula:

wherein R^7 is C_5 - C_{31} alkyl; R^8 is selected from the group consisting of hydrogen, C_1 - C_4 alkyl, C_1 - C_4 hydroxyalkyl, Q is a polyhydroxyalkyl moiety having a linear alkyl chain with at least 3 hydroxyls directly connected to the chain, or an alkoxylated derivative thereof; preferred alkoxy is ethoxy or propoxy, and mixtures thereof; preferred Q is derived from a reducing sugar in a reductive amination reaction, more preferably Q is a glycityl moiety; Q is more preferably selected from the group consisting of $-CH_2(CHOH)_0CH_2OH$, $-CH(CH_2OH)(CHOH)_{n-1}CH_2OH$, $-CH_2(CHOH)_n(CHOH)_n(CHOH)$ CH2 OH, and alkoxylated derivatives thereof, wherein n is an integer from 3 to 5, inclusive, and R1 is hydrogen or a cyclic or aliphatic monosaccharide, which are described in U.S. 5,489,393 Connor et al., issued February 6, 1996; and U.S. 5,45,982 Murch et al., issued October 3, 1995, both incorporated herein by reference.

A non-limiting example of a nonionic surfactant suitable for use in the present invention has the formula:

$$\begin{array}{c} O \\ II \\ R-C-N-[(R^1O)_{xl}(R^2O)_yR^3]_m \\ (R^4)_n \end{array}$$

wherein R is C_7 - C_{21} linear alkyl, C_7 - C_{21} branched alkyl, C_7 - C_{21} linear alkenyl, C_7 - C_{21} branched alkenyl, and mixtures thereof.

R¹ is ethylene; R² is C₃-C₄ linear alkyl, C₃-C₄ branched alkyl, and mixtures thereof; preferably R² is 1,2-propylene. Nonionic surfactants which comprise a mixture of R¹ and R²units preferably comprise from about 4 to about 12 ethylene units in combination with from about 1 to about 4 1,2-propylene units. The units may be alternating, or grouped together in any combination suitable to the formulator. Preferably the ratio of R¹ units to R² units is from about 4: 1 to about 8: 1. Preferably an R² units (i.e. 1,2-propylene) is attached to the nitrogen atom followed by the balance of the chain comprising from 4 to 8 ethylene units.

 R^2 is hydrogen, C_1 - C_4 linear alkyl, C_3 - C_4 branched alkyl, and mixtures thereof; preferably hydrogen or methyl, more preferably hydrogen.

 R^4 is hydrogen, C_1 - C_4 linear alkyl, C_3 - C_4 branched alkyl, and mixtures thereof; preferably hydrogen. When the index m is equal to 2 the index n must be equal to 0 and the R^4 unit is absent and is instead replaced by a -[(R^1O)₀(R^2O)₀, R^3] unit.

The index m is 1 or 2, the index n is 0 or 1, provided that when m is equal to 1, n is equal to 1; and when m is 2 n is 0; preferably m is equal to 1 and n is equal to one, resulting in one - $[(R^1O)_x(R^2O)_yR^2]$ unit and R^4 being present on the nitrogen. The index x is from 0 to about 50, preferably from about 3 to about 25, more preferably from about 3 to about 10. The index y is from 0 to about 10, preferably 0, however when the index y is not equal to 0, y is from 1 to about 4. Preferably all of the alkyleneoxy units are ethyleneoxy units. Those skilled in the art of ethoxylated polyoxyalkylene alkyl amide surface active agents will recognized that the values for the indices x and y are average values and the true values may range over several values depending upon the process used to alkoxylate the amides.

The mid-chain branched alkyl sulfate surfactants of the present invention have the formula:

the alkyl alkoxy sulfates have the formula:

the alkyl alkoxylates have the formula:

wherein R, \mathbb{R}^1 , and \mathbb{R}^2 are each independently hydrogen, \mathbb{C}_1 - \mathbb{C}_2 alkyl, and mixtures thereof; provided at least one of R, \mathbb{R}^1 , and \mathbb{R}^2 is not hydrogen; preferably R, \mathbb{R}^1 , and \mathbb{R}^2 are methyl; preferably one of R, \mathbb{R}^1 , and \mathbb{R}^2 is methyl and the other units are hydrogen. The total number of carbon atoms in the mid-chain branched alkyl sulfate and alkyl alkoxy sulfate surfactants is from 14 to 20; the index w is an integer from 0 to 13; x is an integer from 0 to 13; y is an integer from 0 to 13; z is an integer of at least 1; provided w + x + y + z is from 8 to 14 and the total number of carbon atoms in a surfactant is from 14 to 20; \mathbb{R}^3 is \mathbb{C}_1 - \mathbb{C}_4 linear or branched alkylene, preferably ethylene, 1,2-propylene, 1,3-propylene, 1,2-butylene, 1,4-butylene, and mixtures thereof. However, a preferred embodiment of the present invention comprises from 1 to 3 units wherein \mathbb{R}^3 is 1,2-propylene, 1,3-propylene, or mixtures thereof followed by the balance of the \mathbb{R}^3 units comprising ethylene units. Another preferred embodiment comprises \mathbb{R}^3 units which are randomly ethylene and 1,2-propylene units. The average value of the index m is at least about 0.01. When the index m has low values, the surfactant system comprises mostly alkyl sulfates with a small amount of alkyl alkoxy sulfate surfactant. Some tertiary carbon atoms may be present in the alkyl chain, however, this embodiment is not desired.

M denotes a cation, preferably hydrogen, a water soluble cation, and mixtures thereof.

Non-limiting examples of water soluble cations include sodium, potassium, lithium, ammonium, alkyl ammonium, and mixtures thereof.

Detergent Builder

The detergent compositions herein may also comprise from about 0.1% to 80% by weight of a detergent builder. Preferably such compositions in liquid form will comprise from about 1% to 10% by weight of the builder component. Preferably such compositions in granular form will comprise from about 1% to 50% by weight of the builder component. Detergent builders are well known in the art and can comprise, for example, phosphate salts as well as various organic and inorganic nonphosphorus builders.

Water-soluble, nonphosphorus organic builders useful herein include the various alkali metal, ammonium and substituted ammonium polyacetates, carboxylates, polycarboxylates and polyhydroxy sulfonates. Suitable polycarboxylates for use herein are the polyacetal carboxylates described in U.S. Patent 4,144,226, issued March 13, 1979 to Crutchfield et al., and U.S. Patent 4,246,495, issued March 27, 1979 to Crutchfield et al., both of which are incorporated herein by reference. Particularly preferred polycarboxylate builders are the oxydisuccinates and the ether carboxylate builder compositions comprising a combination of tartrate monosuccinate and

tartrate disuccinate described in U.S. Patent 4,663,071, Bush et al., issued May 5, 1987, the disclosure of which is incorporated herein by reference.

Examples of suitable nonphosphorus, inorganic builders include the silicates, aluminosilicates, borates and carbonates. Particularly preferred are sodium and potassium carbonate, bicarbonate, sesquicarbonate, tetraborate decahydrate, and silicates having a weight ratio of SiO₂ to alkali metal oxide of from about 0.5 to about 4.0, preferably from about 1.0 to about 2.4. Also preferred are aluminosilicates including zeolites. Such materials and their use as detergent builders are more fully discussed in Corkill et al., U. S. Patent No. 4,605,509, the disclosure of which is incorporated herein by reference. Also discussed in U. S. Patent No. 4,605,509 are crystalline layered silicates which are suitable for use in the detergent compositions of this invention.

Optional Detergent Ingredients

In addition to the surfactants, builders and dye maintenance polymers of the detergent compositions of the present invention can also include any number of additional optional ingredients. These include conventional detergent composition components such as enzymes and enzyme stabilizing agents, suds boosters or suds suppressers, anti-tarnish and anticorrosion agents, bleaching agents, soil suspending agents, soil release agents, germicides, pH adjusting agents, non-builder alkalinity sources, chelating agents, organic and inorganic fillers, solvents, hydrotropes, optical brighteners, dyes and perfumes.

pH adjusting agents may be necessary in certain applications where the pH of the wash solution is greater than about 10.0 because the fabric integrity benefits of the defined compositions begin to diminish at a higher pH. Hence, if the wash solution is greater than about 10.0 after the addition of the dye maintenance polymers of the present invention a pH adjuster should be used to reduce the pH of the washing solution to below about 10.0, preferably to a pH of below about 9.5 and most preferably below about 7.5. Suitable pH adjusters will be known to those skilled in the art.

A preferred optional ingredients for incorporation into the detergent compositions herein comprises a bleaching agent, e.g., a peroxygen bleach. Such peroxygen bleaching agents may be organic or inorganic in nature. Inorganic peroxygen bleaching agents are frequently utilized in combination with a bleach activator.

Useful organic peroxygen bleaching agents include percarboxylic acid bleaching agents and salts thereof. Suitable examples of this class of agents include magnesium monoperoxyphthalate hexahydrate, the magnesium salt of metachloro perbenzoic acid, 4-nonylamino-4-oxoperoxybutyric acid and diperoxydodecanedioic acid. Such bleaching agents

are disclosed in U.S. Patent 4,483,781, Hartman, Issued November 20, 1984; European Patent Application EP-A-133,354, Banks et al., Published February 20, 1985; and U.S. Patent 4,412,934, Chung et al., Issued November 1, 1983. Highly preferred bleaching agents also include 6-nonylamino-6-oxoperoxycaproic acid (NAPAA) as described in U.S. Patent 4,634,551, Issued January 6, 1987 to Burns et al.

Inorganic peroxygen bleaching agents may also be used, generally in particulate form, in the detergent compositions herein. Inorganic bleaching agents are in fact preferred. Such inorganic peroxygen compounds include alkali metal perborate and percarbonate materials. For example, sodium perborate (e.g. mono- or tetra-hydrate) can be used. Suitable inorganic bleaching agents can also include sodium or potassium carbonate peroxyhydrate and equivalent "percarbonate" bleaches, sodium pyrophosphate peroxyhydrate, urea peroxyhydrate, and sodium peroxide. Persulfate bleach (e.g., OXONE, manufactured commercially by DuPont) can also be used. Frequently inorganic peroxygen bleaches will be coated with silicate, borate, sulfate or water-soluble surfactants. For example, coated percarbonate particles are available from various commercial sources such as FMC, Solvay Interox, Tokai Denka and Degussa.

Inorganic peroxygen bleaching agents, e.g., the perborates, the percarbonates, etc., are preferably combined with bleach activators, which lead to the *in situ* production in aqueous solution (i.e., during use of the compositions herein for fabric laundering/bleaching) of the peroxy acid corresponding to the bleach activator. Various non-limiting examples of activators are disclosed in U.S. Patent 4,915,854, Issued April 10, 1990 to Mao et al.; and U.S. Patent 4,412,934 Issued November 1, 1983 to Chung et al. The nonanoyloxybenzene sulfonate (NOBS) and tetraacetyl ethylene diamine (TAED) activators are typical and preferred. Mixtures thereof can also be used. See also the hereinbefore referenced U.S. 4,634,551 for other typical bleaches and activators useful herein.

Other useful amido-derived bleach activators are those of the formulae: $R^{1}N(R^{5})C(O)R^{2}C(O)L$ or $R^{1}C(O)N(R^{5})R^{2}C(O)L$

wherein \mathbb{R}^1 is an alkyl group containing from about 6 to about 12 carbon atoms, \mathbb{R}^2 is an alkylene containing from 1 to about 6 carbon atoms, \mathbb{R}^5 is H or alkyl, aryl, or alkaryl containing from about 1 to about 10 carbon atoms, and L is any suitable leaving group. A leaving group is any group that is displaced from the bleach activator as a consequence of the nucleophilic attack on the bleach activator by the perhydrolysis anion. A preferred leaving group is phenol sulfonate.

Preferred examples of bleach activators of the above formulae include (6octanamido-caproyl)oxybenzenesulfonate, (6-nonanamidocaproyl) oxybenzene-sul-fonate, (6decanamido-caproyl)oxybenzenesulfonate and mixtures thereof as described in the hereinbefore referenced U.S. Patent 4,634,551. Another class of useful bleach activators comprises the benzoxazin-type activators disclosed by Hodge et al. in U.S. Patent 4,966, 723, Issued October 30, 1990, incorporated herein by reference. See also U.S. Patent 4,545,784, Issued to Sanderson, October 8, 1985, incorporated herein by reference, which discloses acyl caprolactams, including benzoyl caprolactam, adsorbed into sodium perborate.

If utilized, peroxygen bleaching agent will generally comprise from about 2% to 30% by weight of the detergent compositions herein. More preferably, peroxygen bleaching agent will comprise from about 2% to 20% by weight of the compositions. Most preferably, peroxygen bleaching agent will be present to the extent of from about 3% to 15% by weight of the compositions herein. If utilized, bleach activators can comprise from about 2% to 10% by weight of the detergent compositions herein. Frequently, activators are employed such that the molar ratio of bleaching agent to activator ranges from about 1:1 to 10:1, more preferably from about 1.5:1 to 5:1.

Additional suitable bleaching agents and bleach activators are disclosed in one or more of the co-pending PCT Applications listed in Table A and incorporated herein by reference.

Another highly preferred optional ingredient in the detergent compositions herein is a detersive enzyme component. Enzymes can be included in the present detergent compositions for a variety of purposes, including removal of protein-based, carbohydrate-based, or triglyceride-based stains from substrates, for the prevention of refugee dye transfer in fabric laundering, and for fabric restoration. Suitable enzymes include proteases, amylases, lipases, cellulases, peroxidases, and mixtures thereof of any suitable origin, such as vegetable, animal, bacterial, fungal and yeast origin. Preferred selections are influenced by factors such as pH-activity and/or stability, optimal thermostability, and stability to active detergents, builders and the like. In this respect bacterial or fungal enzymes are preferred, such as bacterial amylases and proteases, and fungal cellulases.

"Detersive enzyme", as used herein, means any enzyme having a cleaning, stain removing or otherwise beneficial effect in a laundry detergent composition. Preferred enzymes for laundry purposes include, but are not limited to, proteases, cellulases, lipases, amylases and peroxidases.

Enzymes are normally incorporated into detergent compositions at levels sufficient to provide a "cleaning-effective amount". The term "cleaning-effective amount" refers to any amount capable of producing a cleaning, stain removal, soil removal, whitening, deodorizing, or freshness improving effect on substrates such as fabrics. In practical terms for current commercial preparations, typical amounts are up to about 5 mg by weight, more typically 0.01 mg to 3 mg, of active enzyme per gram of the detergent composition. Stated otherwise, the

compositions herein will typically comprise from 0.001% to 5%, preferably 0.01%-1% by weight of a commercial enzyme preparation. Protease enzymes are usually present in such commercial preparations at levels sufficient to provide from 0.005 to 0.1 Anson units (AU) of activity per gram of composition. Higher active levels may be desirable in highly concentrated detergent formulations.

Cellulases usable herein include those disclosed in U.S. Patent No. 4,435,307,
Barbesgoard et al., March 6, 1984, and GB-A-2.075.028; GB-A-2.095.275 and DE-OS2.247.832. CAREZYME® and CELLUZYME® (Novo) are especially useful. See also WO
9117243 to Novo.

The enzyme-containing compositions herein may optionally also comprise from about 0.001% to about 10%, preferably from about 0.005% to about 8%, most preferably from about 0.01% to about 6%, by weight of an enzyme stabilizing system. The enzyme stabilizing system can be any stabilizing system which is compatible with the detersive enzyme. Such a system may be inherently provided by other formulation actives, or be added separately, e.g., by the formulator or by a manufacturer of detergent-ready enzymes. Such stabilizing systems can, for example, comprise calcium ion, boric acid, propylene glycol, short chain carboxylic acids, boronic acids, and mixtures thereof, and are designed to address different stabilization problems depending on the type and physical form of the detergent composition.

Detergent Composition Preparation

The detergent compositions according to the present invention can be in liquid, paste or granular form. Such compositions can be prepared by combining the essential and optional components in the requisite concentrations in any suitable order and by any conventional means. The forgoing description of uses for the dye maintenance polymers defined herein are intended to be exemplary and other uses will be apparent to those skilled in the art and are intended to be within the scope of the present invention.

Granular compositions, for example, are generally made by combining base granule ingredients, e.g., surfactants, builders, water, etc., as a slurry, and spray drying the resulting slurry to a low level of residual moisture (5-12%). The remaining dry ingredients, e.g., granules of the essential dye maintenance polymers, can be admixed in granular powder form with the spray dried granules in a rotary mixing drum. The liquid ingredients, e.g., solutions of the essential dye maintenance polymers, enzymes, binders and perfumes, can be sprayed onto the resulting granules to form the finished detergent composition. Granular compositions according to the present invention can also be in "compact form", i.e. they may have a relatively higher density than conventional granular detergents, i.e. from 550 to 950 g/l. In such case, the granular

detergent compositions according to the present invention will contain a lower amount of "inorganic filler salt", compared to conventional granular detergents; typical filler salts are alkaline earth metal salts of sulphates and chlorides, typically sodium sulphate; "compact" detergents typically comprise not more than 10% filler salt.

Liquid detergent compositions can be prepared by admixing the essential and optional ingredients thereof in any desired order to provide compositions containing components in the requisite concentrations. Liquid compositions according to the present invention can also be in "compact form", in such case, the liquid detergent compositions according to the present invention will contain a lower amount of water, compared to conventional liquid detergents. Addition of the dye maintenance polymers to liquid detergent or other aqueous compositions of this invention may be accomplished by simply mixing into the liquid solutions the desired dye maintenance polymers.

Fabric Laundering Method

The present invention also provides a method for laundering fabrics in a manner which imparts fabric appearance benefits provided by the dye maintenance polymers used herein. Such a method employs contacting these fabrics with an aqueous washing solution formed from an effective amount of the detergent compositions hereinbefore described or formed from the individual components of such compositions. Contacting of fabrics with washing solution will generally occur under conditions of agitation although the compositions of the present invention may also be used to form aqueous unagitated soaking solutions for fabric cleaning and treatment. As discussed above, it is preferred that the washing solution have a pH of less than about 10.0, preferably it has a pH of about 7.5.

Agitation is preferably provided in a washing machine for good cleaning. Washing is preferably followed by drying the wet fabric in a conventional clothes dryer. An effective amount of a high density liquid or granular detergent composition in the aqueous wash solution in the washing machine is preferably from about 500 to about 7000 ppm, more preferably from about 1000 to about 3000 ppm.

EXAMPLES

The following examples illustrate the compositions and methods of the present invention, but are not necessarily meant to limit or otherwise define the scope of the invention.

EXAMPLE I

TABLE I comprises numerous examples according to the present invention along with some comparative examples of material known to the art of laundry detergents. The chemical structures shown in the examples below are idealized structures. Side reactions expected to occur during the condensation are not shown.

TABLE II

	<u> </u>				
Ex.#	Material				
1	Poly(N, N dimethylaminoethyl methacrylate)				
2	Poly(N, N dimethylaminoethyl methacrylate), MW 9700				
3	Poly(N,N dimethylaminoethyl methacrylate), MW 15,700				
4	Poly(N,N dimethylaminoethyl methacrylate), MW 39,700				
5	Poly(N,N dimethylaminoethyl methacrylate-co- dimethylacrylamide) ratio1:1 MW 13670				
6	Poly(N,N dimethylaminoethyl methacrylate-co- dimethylacrylamide) ratio 2:1, MW = 14,400				
7	Poly(N, N dimethylaminoethyl methacrylate-co- dimethylacrylamide) ratio 3:1 MW 16,300				
8	Methyl quat of poly(N,N dimethylaminoethyl methacrylate)				
9	Amine oxide ofPoly(N, N dimethylaminoethyl methacrylate)				
10	Poly(N,N dimethylaminoethyl methacrylate-co-octylacrylamide) ratio 3:1, MW = 6730				
11	Poly(N,N dimethylaminoethyl methacrylate-co-acrylic acid) ratio 1:1, MW = 14,950				
12	Poly(N,N dimethylaminoethyl methacrylate-acrylamide) ratio 1:1,				
	Poly(N,N dimethylaminoethyl methacrylate-propane sultone) ratio 1:1,				
13	Poly(dimethyldiallylammonium chloride) sold under the trade name Merquat 100 by Calgon Corporation, Pittsburg, PA.				
14	Poly(dimethyldiallylammonium chloride -co- acrylamide) sold under the trade name Merquat Plus (Calgon Corporation, Pittsburg, PA).				
15	Poly(dimethyldiallylammonium chloride -co- acrylamide) sold under the trade name Merquat 550 (Calgon Corporation, Pittsburg, PA).				
16	Poly(dimethyldiallylammonium chloride -co- acrylic acid) sold under the trade name Merquat 280 (Calgon Corporation, Pittsburg, PA).				

17	Poly(N methyl,N octadecyl aminoethyl methacrylate) quaternized with dimethyl sulfate (CTFA nomenclature polyquaternium 8)
18	Ionene polymer of N,N,N',N' tetramethyl hexanediamine and 1,6 dibromohexane in the ratio 4;3
19	Polyvinylamine
20	Poly(vinylamine-co-vinylalcohol) ratio 1:1
21	Poly(vinylamine-co-acrylic acid) ratio 1:1
22	Polyallylamine
23	poly(vinylamine-co-vinyl formamide) ratio 1:1
24	polyvinylamine ethoxylated with 0.5 moles of ethylene oxide per N-H
25	polyvinylamine propoxylated with 0.5 moles of propylene oxide per N-H
26	Polyquaternium 2 (CTFA nomenclature) sold under the trade name Mirapol A15 by Rhone Poulenc, Paris, France.
27	Polyquaternium 17(CTFA nomenclature) sold under the trade name Mirapol AD-1 by Rhone Poulenc, Paris, France.
28	Copolymer of N methylvinyl pyridine co-vinyl pyridine (ratio 4:1)
29	Copolymer of N methylvinyl pyridine co-vinyl pyridine (ratio 4:6)
30	Poly(N methylvinyl pyridine co-vinyl pyridine N oxide) ratio 4:1
31	Poly (N methylvinyl pyridine co-vinyl pyridine N-oxide) ratio 4:6

EXAMPLE II

Granular Detergent Test Composition Preparation

Several heavy duty granular detergent compositions are prepared containing one or more dye maintenance polymer having a DMP according to this invention. These granular detergent compositions all have the following basic formula:

TABLE II

Component	Wt. %
C12 Linear alkyl benzene sulfonate	9.31
C ₁₄₋₁₅ alkyl ether (0.35 EO) sulfate	12.74
Zeolite Builder	27.79
Sodium Carbonate	27.31
PEG 4000	1.60
Dispersant	2.26
C12-13 Alcohol Ethoxylate (9 EO)	1.5
Sodium Perborate	1.03
Soil Release Polymer	0.41

Enzymes	0.59
Dye Maintenance Polymer	3.0
Perfume, Brightener, Suds Suppressor, Other	<u>Balance</u>
Minors, Moisture, Sulfate	
	100%

EXAMPLE III

Liquid Detergent Test Composition Preparation

Several heavy duty liquid detergent compositions are prepared containing one or more dye maintenance polymer having a DMP according to this invention. These liquid detergent compositions all have the following basic formula:

TABLE III

17(DE)E 111	
Component	Wt. %
C12-15 alkyl ether (2.5) sulfate	38
C ₁₂ glucose amide	6.86
Citric Acid	4.75
C ₁₂₋₁₄ Fatty Acid	2.00
Enzymes	1.02
MEA	1.0
Propanediol	0.36
Borax	6.58
Dispersant	1.48
Na Toluene Sulfonate	6.25
Dye Maintenance Polymer	1.0
Dye, Perfume, Brighteners, Preservatives, Suds Suppressor, Other Minors, Water	Balance
	100%

EXAMPLE IV

Granular Detergent Test Composition Preparation

Several granular detergent compositions are prepared containing one or more dye maintenance polymer having a DMP according to this invention. Such granular detergent compositions all have the following basic formula:

TABLE IV

	Example	<u>Comparative</u>
Component	Wt. %	Wt%
Na C ₁₂ Linear alkyl benzene sulfonate	9.40	9.40
Na C ₁₄₋₁₅ alkyl sulfonate	11.26	11.26
Zeolite Builder	27.79	27.79

Sodium Carbonate	27.31	27.31
PEG 4000	1.60	1.60
Dispersant, Na polyacrylate	2.26	2.26
C ₁₂₋₁₃ alkyl ethoxylate (E9)	1.5	1.5
Sodium Perborate	1.03	1.03
Dye Maintenance Polymer	0.8	0
Other Adjunct ingredients	Balance	Balance
	100%	100%

What is claimed is:

- A detergent compositions comprising:
 - a) from 4% to 70% by weight, of a surfactant;
 - from 0.01% to 5% by weight, of a dye maintenance polymer or oligomer, said polymer or copolymer comprising one or more units having the formula:
 - I) linear polymer units having the formula:



wherein each R1 is independently

- a) hydrogen;
- b) C₁-C₄ alkyl;
- c) substituted or unsubstituted phenyl;
- d) substituted or unsubstituted benzyl;
- e) carbocyclic;
- f) heterocyclic;
- g) and mixtures thereof;

each R2 is independently

- a) hydrogen;
- b) halogen
- c) C₁-C₄ alkyl;
- d) C₁-C₄ alkoxy;
- e) substituted or unsubstituted phenyl;
- substituted or unsubstituted benzyl;
- g) carbocyclic;
- h) heterocyclic:
- and mixtures thereof;

each Z is independently

- a) hydrogen;
- b) hydroxyl;
- c) halogen:

d) -(CH₂)_mR;

wherein R is:

- hydrogen;
- ii) hydroxyl
- iii) halogen;
- iv) nitrilo;
- v) -OR3;
- vi) -O(CH₂)_nN(R³)₂;
- vii) -O(CH₂)_nN⁺(R³)₃X⁻;
- viii) -OCO(CH₂)_nN(R³)₂;
- ix) $-OCO(CH_2)_nN^+(R^3)_3X^-;$
- x) -NHCO(CH₂)_nN(R³)₂;
- xi) -NHCO(CH₂)_nN⁺(R³)₃X⁻;
- xii) -(CH₂),N(R³)₂;
- xiii) -(CH₂),N⁺(R³)₃X ;
- xiv) carbocyclic;
- xv) heterocyclic;
- xvi) nitrogen heterocycle quaternary ammonium;
- xvii) nitrogen heterocycle N-oxide;
- xviii) aromatic N-heterocyclic quaternary ammonium;
- xix) aromatic N-heterocyclic N-oxide;
- xx) -NHCHO;
- xxi) or mixtures thereof;

each \mathbb{R}^3 is independently hydrogen, C_1 - C_8 alkyl, C_2 - C_8 hydroxyalkyl, and mixtures thereof; X is a water soluble anion: the index n is from 0 to 6

e) -(CH₂)_mCOR'

wherein R' is

- i) -OR3;
- ii) -O(CH₂)_nN(R³)₂;
- iii) -O(CH₂), N⁺(R³)₃X⁻;
- iv) -NR³(CH₃)₂N(R³)₂;
- v) -NR³(CH₂)_nN*(R³)₃X ⁻;
- vi) -(CH₂)_nN(R³)₂;
- vii) -(CH₂)_nN⁺(R³)₃X -;

anion: the index n is from 0 to 6;

viii) or mixtures thereof; each R^3 is independently hydrogen, C_1 - C_8 alkyl, C_2 - C_8 hydroxyalkyl, and mixtures thereof; X is a water soluble

- f) and mixtures thereof;
- the index m is from 0 to 6;
- II) cyclic units derived from cyclically polymerizing monomers having the formula:

$$R^4 - N^+ - R^5$$

wherein each R^4 is independently an olefin comprising unit which is capable of propagating polymerization in addition to forming a cyclic residue with an adjacent R^4 unit; R^5 is C_1 - C_{12} linear or branched alkyl, benzyl, substituted benzyl, and mixtures thereof; Xis a water soluble anion; and

III) mixtures thereof;

provided said polymer or co-polymer has a net cationic charge; and wherein said dye maintenance polymer is not an polyethyleneimine or alkoxylated derivative thereof; and

- b) the balance carriers and other adjunct ingredients.
- A detergent composition according to Claim 1, wherein said dye maintenance polymer is a copolymer comprising:
 - a first monomer selected from the group consisting of N, N dialkylaminoalkyl(meth)acrylate, N, N dialkylaminoalkylacrylate, N,N dialkylaminoalkylacrylamide, N,N dialkylaminoalkyl(meth)acrylamide, their quaternized derivatives and mixtures thereof; and
 - ii) a second monomer selected from the group consisting of acrylic acid, methacrylic acid, C₁-C₆ alkylmethacrylate, C₁-C₆ alkyl acrylate, C₁-C₈ hydroxyalkylacrylate, C₁-C₈ hydroxyalkylmethacrylate, acrylamide, C₁-C₁₆ alkyl acrylamide, C₁-C₁₆ dialkylacrylamide, 2-acrylamido-2-methylpropane sulfonic acid or its alkali salt, methacrylamide, C₁-C₁₆ alkylmethacrylamide, C₁-C₁₆ dialkylmethacrylamide, vinyl formamide, vinylacetamide, vinyl alcohol, C₁-C₈ vinylalkylether, vinyl pyridine,

itaconic acid, vinyl acetate, vinyl propionate, vinyl butyrate and mixtures thereof;

wherein the copolymer comprises at least 25 mole % of the first monomer.

- 3. A composition according to either Claim 1 or 2 wherein said adjunct ingredients are selected from the group consisting of electrolytes, stabilizers, low molecular weight water soluble solvents, chelating agents, dispersibility aids, soil release agents, nonionic fabric softening agents, concentration aid, perfume, preservatives, colorants, optical brighteners, opacifiers, germicides, fungicides, anti-corrosion agents, antifoam agents, and mixtures thereof.
- A detergent composition comprising:
 - a) from 4% to 70% of a surfactant;
 - b) from 0.01% to 10% by weight, of a dye maintenance polymer or oligomer, said dye maintenance polymer is selected from the group consisting of homopolymers, co-polymers, ter-polymers and mixtures thereof having the formula:

$$\begin{array}{c|cccc} & R^1 & R^2 \\ & \downarrow & \downarrow \\ & C & C \\ & & C & \\ & & Z & \\ \end{array}$$

wherein each R1, R2 is hydrogen or methyl; Z has the formula:

wherein m is equal to 0 or 1; R is

 R^3 is selected from the group consisting of hydrogen, $C_1\hbox{-} C_4$ alkyl, $C_2\hbox{-} C_4$ hydroxyalkyl, and mixtures thereof; X is a water soluble anion; and

- c) the balance carriers and adjunct ingredients.
- A composition according to any of Claims 1-4 comprising from 0.1% to 8% by weight of said dye maintenance polymer.
- A composition according to any of Claims 1-5 wherein said dye maintenance polymer is a co-polymer comprising a linearly polymerizing monomers and a

cyclically polymerizing monomer, said cyclically polymerizing monomer having the formula:

wherein R5 is C1-C4 alkyl, and mixtures thereof; X is a water soluble anion.

- 7. A composition according to any of Claims 1-5 wherein the dye maintenance polymer is selected from the group consisting of homopolymers, co-polymers, terpolymers and mixtures thereof, of diallyl dimethylammonium chloride, bromide or methyl sulfate and a co-monomer selected from the group consisting of acrylic acid, methacrylic acid, C₁-C₆ alkylmethacrylate, C₁-C₆ alkyl acrylate, C₁-C₈ hydroxyalkylacrylate, C₁-C₁₆ hydroxyalkylmethacrylate, acrylamide, C₁-C₁₆ alkyl acrylamide, C₁-C₁₆ dialkylacrylamide, 2-acrylamido-2-methylpropane sulfonic acid or its alkali salt, methacrylamide, C₁-C₁₆ alkylmethacrylamide, C₁-C₁₆ dialkylmethacrylamide, vinyl formamide, vinylacetamide, vinyl alcohol, C₁-C₈ vinylalkylether, vinyl pyridine, itaconic acid, vinyl acetate, vinyl propionate, vinyl butyrate and mixtures thereof.
 - A composition according to any of Claims 1-5 wherein said dye maintenance
 polymer a co-polymer comprising a linearly polymerizing monomers and a
 cyclically polymerizing monomer, said cyclically polymerizing monomer having
 the formula:

wherein R5 is C1-C4 alkyl, and mixtures thereof; X is a water soluble anion.

A composition according to any of Claims 1-5 comprising a co-polymer wherein Z
has the formula:

wherein each R is independently $-O(CH_2)_nN(R^3)_2$; $-O(CH_2)_nN^*(R^3)_2X$; $-O(CH_2)_nN(R^3)_2$; $-(CH_2)_nN(R^3)_2$; and mixtures thereof, m is 0, n is from 2 to 4.

- 10. A composition according to Claim 1 wherein said dye maintenance polymer comprises copolymer of N-methyl vinyl pyridine and vinyl pyridine in a ratio of 4:1, a copolymer of N-methyl vinyl pyridine and vinyl pyridine in a ratio of 4:6, a co-polymer of poly(N-methyl vinyl pyridine) and vinyl pyridine N-oxide in a ratio of polymer to monomer of 4:1, a polymer comprising poly(N-methyl vinyl pyridine) and vinyl pyridine N-oxide in a ratio of polymer to monomer of 4:6, and mixtures thereof.
- 11. A method for reducing the loss of fabric dye comprising the step of contacting dyed fabric with a laundry detergent comprising:
 - a) from 4% to 70% by weight, of a surfactant;
 - from 0.01% to 5% by weight, of a dye maintenance polymer or oligomer, said polymer or copolymer comprising one or more units having the formula:
 - I) linear polymer units having the formula:

wherein each R1 is independently

- a) hydrogen;
- b) C₁-C₄ alkyl;
- substituted or unsubstituted phenyl;
- d) substituted or unsubstituted benzyl;
- e) carbocyclic;
- heterocyclic;
- g) and mixtures thereof;

each R2 is independently

- a) hydrogen;
- b) halogen
- c) C₁-C₄ alkyl;
- d) C₁-C₄ alkoxy;
- e) substituted or unsubstituted phenyl;

- substituted or unsubstituted benzyl;
- g) carbocyclic;
- h) heterocyclic;
- and mixtures thereof;

each Z is independently

- a) hydrogen;
- b) hydroxyl;
- c) halogen;
- d) -(CH₂)_mR;

wherein R is:

- hydrogen;
- ii) hydroxyl
- iii) halogen;
- iv) nitrilo;
- v) -OR3:
- vi) -O(CH₂), N(R³)₂;
- vii) -O(CH₂)_nN⁺(R³)₃X ;
- viii) -OCO(CH₂)_nN(R³)₂;
- ix) -OCO(CH₂), N⁺(R³), X⁻;
- x) -NHCO(CH₂)₀N(R³)₂;
- xi) -NHCO(CH₂), N⁺(R³)₂X ;
- xii) -(CH₂)_nN(R³)₂;
- xiii) -(CH₂)_nN⁺(R³)₃X⁻;
- xiv) carbocyclic;
- xv) heterocyclic;
- xvi) nitrogen heterocycle quaternary ammonium;
- xvii) nitrogen heterocycle N-oxide;
- xviii) aromatic N-heterocyclic quaternary ammonium;
- xix) aromatic N-heterocyclic N-oxide;
- xx) -NHCHO;
- xxi) or mixtures thereof:

each R^3 is independently hydrogen, C_1 - C_8 alkyl, C_2 - C_8 hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6

e) -(CH₂)_mCOR'

wherein R' is

- i) -OR³:
- ii) -O(CH₂),N(R³),;
- iii) -O(CH₂)_nN*(R³)₃X; iv) -NR³(CH₂)_nN(R³)₂;
- v) -NR³(CH₂)_nN⁺(R³)₃X ·;
- vi) -(CH₂),N(R³)₂;
- vii) -(CH₂)_nN⁺(R³)₃X ;
- viii) or mixtures thereof:

each \mathbb{R}^3 is independently hydrogen, C_1 - C_3 alkyl, C_2 - C_4 hydroxyalkyl, and mixtures thereof; X is a water soluble anion; the index n is from 0 to 6;

f) and mixtures thereof;

the index m is from 0 to 6;

 II) cyclic units derived from cyclically polymerizing monomers having the formula:

$$R^4 - N + R^5$$

wherein each R^4 is independently an olefin comprising unit which is capable of propagating polymerization in addition to forming a cyclic residue with an adjacent R^4 unit; R^5 is C_1 - C_{12} linear or branched alkyl, benzyl, substituted benzyl, and mixtures thereof; Xis a water soluble anion; and

III) mixtures thereof:

provided said polymer or co-polymer has a net cationic charge; and wherein said dye maintenance polymer is not an polyethyleneimine or alkoxylated derivative thereof; and

b) the balance carriers and other adjunct ingredients.

Page 1 of 2 Attorney Docket No. 7489

Filing Date

As a below named inventor, I hereby declare that:

Application Serial No.

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Laundry Detergent Compositions With Certain Cationically Charged Dye Maintenance Polymers the specification of which

specification of	WIIICII		
(check	[]	is attached hereto.	
one)	[X]	was filed on March 24, 2000 as United States Application No. or	
		PCT International Application Serial No. PCT/US00/08031	
		and was amended on	
		(if applicable)	

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations \$1.56.

I hereby claim foreign priority benefits under Title 35 United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed:

10	Prior Foreign Application	<u>(s)</u>		Priority	Claimed	
14				[]		
a bit	(Number)	(Country)	(Day/Month/Year Filed)	Yes	No	
		Title 35, United	States Code §119(e) of any	United States	provisional application(s)	
listed	below.					
8	60/126,072	3/25/99				

Application Serial No.

Iftereby claim the benefit under Title 35 United States Code §120 of any United States application(s), or §365(c) of any PCT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35 United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Parent Application	PCT Parent	Parent Filing Date	Parent Patent Number
Number	Number	(MM/DD/YYYY)	(If applicable)

As named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

		Associate	Power
Atty Name	Atty Reg Number.	of Attorney	Attached
Richard S. Echler, Sr.	41,006	[] Yes	[X] No
Kim W. Zerby	32,323		
Ian S. Robinson	43,348		
C.Brant Cook	39,151		
Brian M. Bolam	_37,513		
Jacobus C. Rasser	37,043		
T. David Reed	32,931		
Timothy B. Guffey	41,048		

Filing Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the U.S. National Phase Entry
Under 35 USC 371 from
International Application of
PANANDIKER, Rajan Keshav et al.
Intl. Application No. PCT/US00/08031
Filed in the RO/US on 24 March 2000
Entitled: Laundry Detergent Compositions With

Certain Cationically Charged Dye Maintenance Polymers

ASSOCIATE POWER OF ATTORNEY

Assistant Commissioner for Patents Box PCT Washington, D.C. 20231

Dear Sir:

You are requested to recognize K. W. Zerby (Registration No. 32,323), B. M. Bolam (Registration No. 37,513), F. C. Turner (Registration No. 39,863), C. B. Cook (Registration No. 39,151), M. Dressman (Registration No. 42,498), and R. S. Echler, Sr. (Registration No. 41,006) of The Procter & Gamble Company, Cincinnati, Ohio, as Associate Attorneys to prosecute this application, to make alterations and amendments therein, and to transact all business in the Patent Office connected with the application or with the patent granted thereupon.

Please address all future communications to:

R. S. Echler, Patent Agent Customer Number 27748

Respectfully submitted for Applicants,

T. David Reed

Agent for Applicant Registration No. 32,931

Cincinnati, Ohio 23 August 2001 (513) 627-7025/FAX 627-6333

Page 1 of 2 Attorney Docket No. 7489

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Laundry Detergent Compositions With Certain Cationically Charged Dye Maintenance Polymers the specification of which

(check [] is attached hereto.
one) [X] was filed on March 24, 2000 as United States Application No. or
PCT International Application Serial No. PCTAUS00/08031
and was amended on

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations §1.56.

I hereby claim foreign priority benefits under Title 35 United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

60/126,072 3/25/99
Application Serial No. Filing Date Application Serial No. Filing Date

I hereby claim the benefit under Title 35 United States Code §120 of any United States application(s), or §365(c) of any PoT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the mather provided by the first paragraph of Title 35 United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Parent Application	PCT Parent	Parent Filing Date	Parent Patent Number
Number	Number	(MM/DD/YYYY)	(If applicable)

As named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

		Associate Power
Atty Name	Atty Reg Number.	of Attorney Attached
Richard S. Echler, Sr.	41,006	[] Yes [X] No
Kim W. Zerby	32,323	
Ian S. Robinson	43,348	
C.Brant Cook	39,151	
Brian M. Bolam	37,513	
Jacobus C. Rasser	37,043	
T. David Reed	32,931	
Timothy B. Guffey	41,048	

information and belief are believed to be true; and further that these statemen	ts were made with the knowledge that
willful false statements and the like so made are punishable by fine or impriso	onment or both, under Section 1001 o
Title 18 of the United States Code and that such willful false statements may jeo	pardize the validity of the application of
	paralle are rainery as app
any patent issued thereon.	
I-CC Full name of sole or first joint inventor Rajan Keshav Panandiker.	
Full name of sole of first joint inventor Rajan Resnav Fananciace	
Inventor's signature Rejan Kesnew Panandin	Date 5/2/00
•	Date 3/2/00
Residence 6484 Oregon Pass, West Chester, Ohio 45069 OH	
Citizenship U.S.A.	
Post Office Address 6484 Oregon Pass, West Chester, Ohio 45069	
J300	
Fall name of second joint inventor, if any Sherri Lynn Randall	utantan
Inventor's signature Shew Feynen Randard	4121100
hab	Date
Residence 5679 Indian Hill Court, Hamilton, Ohio 45011	
Citizenship U.S.A.	OF MODILY SIP
Post Office Address 5836 Mandy Drive, Hamilton, Ohio 45011 Sarve	as above se
ate Lipe	
Full name of third joint inventor, if any Janet Sue Littig	
Inventor's signature	<u> </u>
MA CONTRACTOR OF THE CONTRACTO	Date
Residence 159 Hidden Hills Drive, Fairfield, Ohio 45014	
Sitizenship U.S.A.	
Post Office Address 159 Hidden Hills Drive, Fairfield, Ohio 45014	
E SE	
Full name of fourth joint inventor, if any Eugene Paul Gosselink	
Inventor's signature	
	Date
Residence 3754 Susanna Drive, Cincinnati, Ohio 45251	
Citizenship U.S.A.	
Post Office Address 3754 Susanna Drive, Cincinnati, Ohio 45251	
Full name of fifth joint inventor, if any <u>David William Bjorkquist</u>	
Inventor's signature	
	Date
Residence 36 Oliver Road, Wyoming, Ohio 45215	
Citizenship U.S.A.	
Post Office Address 36 Oliver Road, Wyoming, Ohio 45215	

Phone No.

45253-8707 Zip Code

Ohio

State

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on

SEND CORRESPONDENCE TO: Richard S. Echler, Sr.

Name P.O. Box 538707

Street

REVISED 12/97

The Procter & Gamble Company, Miami Valley Laboratories (513) 627-0079

City

Cincinnati

SEND CORRESPONDENCE TO: Richard S. Echler, Sr. The Procter & Gamble Company, Miami Valley Laboratories (513) 627-0079 Phone No. Name 45253-8707 Ohio P.O. Box 538707 Cincinnati Zip Code State City Street I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon. Full name of sole or first joint inventor Rajan Keshav Panandiker Inventor's signature ___ Date Residence 6484 Oregon Pass, West Chester, Ohio 45069 Citizenship U.S.A. Post Office Address 6484 Oregon Pass, West Chester, Ohio 45069 Full name of second joint inventor, if any Sherri Lynn Randall Inventor's signature ___ Date Residence 5679 Indian Hill Court, Hamilton, Ohio 45011 Citizenship U.S.A. Post Office Address 5836 Mandy Drive, Hamilton, Ohio 45011 Full name of third joint inventor, if any Janet Sue Litt Inventor's signature _ Residence 159 Hidden Hills Drive, Fairfield, Ohio 45014 OH Citizenship U.S.A. Post Office Address 159 Hidden Hills Drive, Fairfield, Ohio 45014 Full name of fourth joint inventor, if any Eugene Paul Gosselink Inventor's signature Residence 3754 Susanna Drive, Cincinnati, Ohio 45251 Citizenship U.S.A. Post Office Address 3754 Susanna Drive, Cincinnati, Ohio 45251 Full name of fifth joint inventor, if any David William Bjorkquist Inventor's signature ____

Date

Citizenship U.S.A.

Residence 36 Oliver Road, Wyoming, Ohio 45215

Post Office Address 36 Oliver Road, Wyoming, Ohio 45215

Page 1 of 2 Attorney Docket No. 7489

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled Laundry Detergent Compositions With Certain Cationically Charged Dye Maintenance Polymers the specification of which

pecification of	WILL	
(check one)	[] [X]	is attached hereto. was filed on March 24, 2000 as United States Application No. or PCT International Application Serial No. PCT/US00/08031 and was amended on
		(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of

Federal Regulations §1.56.

Application Serial No.

I hereby claim foreign priority benefits under Title 35 United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed:

和之	Prior Foreign Application(s)			Priority Claimed		
uple.				[]	D	
Ü	(Number)	(Country)	(Day/Month/Year Filed)	Yes	No	
I here	by claim the benefit unde	r Title 35, United	States Code §119(e) of any Uni	ted States	provisional application(s)
listed	below.					
	60/126,072	3/25/99				
Annli	cation Serial No	Filing Date	Application Serial No.		Filing Date	

Thereby claim the benefit under Title 35 United States Code §120 of any United States application(s), or §365(c) of any PCT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35 United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. Parent Application	PCT Parent	Parent Filing Date	Parent Patent Number
Number	Number	(MM/DD/YYYY)	(If applicable)

As named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

		Associate Power
Atty Name	Atty Reg Number.	of Attorney Attached
Richard S. Echler, Sr.	41,006	[] Yes [X] No
Kim W. Zerby	32,323	
Ian S. Robinson	43,348	
C.Brant Cook	39,151	
Brian M. Bolam	37,513	
Jacobus C. Rasser	37,043	
T. David Reed	32,931	
Timothy B. Guffey	41,048	

Filing Date

SEND CORRESPONDENCE TO:

Richard S. Echler, Sr.				
The Procter & Gamble	Company, Miami Valley Labor	atories (513)	627-0079	
Name		Phon	e No.	
P.O. Box 538707	Cincinnati	Ohio	45253-8707	
Street	City	State	Zip Code	
I hereby declare that	all statements made herein of	my own know	vledge are true and that	all statements made
information and ballof	are believed to be true; and f	wther that the	a statements riems made	with the knowledge

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first joint inventor Rajan Keshav Panandiker	
Inventor's signature	
Date	
Residence 6484 Oregon Pass, West Chester, Ohio 45069	
Citizenship U.S.A.	
Post Office Address 6484 Oregon Pass, West Chester, Ohio 45069	
ř)	
Full name of second joint inventor, if any Sherri Lynn Randall	
Inventor's signature	
Date	
Residence 5679 Indian Hill Court, Hamilton, Ohio 45011	
Citizenship U.S.A.	
Post Office Address 5836 Mandy Drive, Hamilton, Ohio 45011	
Alan	
Bull name of third joint inventor, if any Janet Sue Littig	
Inventor's signature	
tů Date	
Residence 159 Hidden Hills Drive, Fairfield, Ohio 45014	
Giřizenship U.S.A.	
Post Office Address 159 Hidden Hills Drive, Fairfield, Ohio 45014	
g-12c	
Full name of fourth joint inventor, if any Eugene Paul Gosselink	
Inventor's signature	
Date	
Residence 3754 Susanna Drive, Cincinnati, Ohio 45251	
Citizenship U.S.A.	
Post Office Address 3754 Susanna Drive, Cincinnati, Ohio 45251	
5-00	
Full name of fifth joint inventor, if any David William Bjorkquist	
Inventor's signature And William Byrkgunt 4/27	12000
Date	
Residence 36 Oliver Road, Wyoming, Ohio 45215 4	
Citizenship U.S.A.	
Post Office Address 36 Oliver Road, Wyoming, Ohio 45215	

REVISED 12/97